SECTION 009113 - ADDENDUM FOUR

PART 1 - ADDENDA

1.1 PROJECT INFORMATION

- A. Project Name: 22062 Picayune Multipurpose and Band Hall Renovation
- B. Owner: Picayune School District, 706 Goodyear Blvd., Picayune, MS 39466
- C. Architect: Dale | Bailey, an Association, 188 E. Capitol Street, Suite 250, Jackson, Mississippi, 39201

D. Architect Project Number: 22062

E. Date of Addendum Four: 13 July 2023

1.2 NOTICE TO BIDDERS

- A. This Addendum is issued to all registered plan holders pursuant to the Instructions to Bidders and Conditions of the Contract. This Addendum serves to clarify, revise, and supersede information in the Project Manual, Drawings, and previously issued Addenda. Portions of the Addendum affecting the Contract Documents will be incorporated into the Contract by enumeration of the Addendum in the Owner/Contractor Agreement.
- B. The Bidder shall acknowledge receipt of this Addendum in the appropriate space on the Bid Form.
- C. The date for receipt of bids is unchanged by this Addendum at same time and location.

1.3 GENERAL

- A. For clarity at the multipurpose site:
 - 1. Please provide one handrail for the north set of stairs, run handrail parallel to the street side of the stairs. Start handrail 1' before stairs and continue handrail until 1' beyond the end of the stairs.
 - 2. Please provide one handrail per set of steps at the rear seating area, centered on each set of steps. Start handrail 1' before seating area and continue handrail 1' beyond the end of the seating area.

B. CLARIFICATION:

The Owner will be responsible for hiring the special inspector.



1.4 GENERAL RESPONSES TO REQUESTS FOR INFORMATION

A. Question: Can the AWI requirement for the millwork be waved for this project?

Answer: The AWI requirements are no longer required and can be waved.

B. Question: The store front doors are supposed to be 6'0"x7'0"? The schedule has them at

5'10"x 5'11".

Answer: Storefront doors are to be 6'x7'. Size glass above storefront appropriately to

maintain pattern. Roughly 3.5' x 3'.

C. Question: Sheet S-202, details 2 & 7 call for C6x8.2. Detail 7 on sheet S-102 does not have

a canopy. Please advise as to how many channels we are to install.

Answer: In addendum # 3 the channel in detail 7/S202 was omitted. In detail 2 the number

and spacing of the channels will correspond to the canopy channels.

1.5 REVISIONS TO DIVISION 00 – PROCUREMENT REQUIREMENTS AND CONTRACTING REQUIREMENTS

A. DOCUMENT 004113 – BID FORM (Re-Issued). Delete this form in its entirety and replace it with new. See attached. Change Unit Rate C and add Allowance 3.

1.6 REVISIONS TO DIVISION 01 – GENERAL REQUIREMENTS

- A. DOCUMENT 012100 ALLOWANCES (Re-Issued). Delete this form in its entirety and replace it with new. See attached. Added Allowance No. 3.
- B. DOCUMENT 014524 STRUCTURAL SPECIAL INSPECTIONS (Not Re-Issued). Section 1.4 A Owner will employ and pay for the structural testing/inspection services that are required by the Construction Documents.

1.7 REVISIONS TO TECHNICAL SPECIFICATIONS

A. SECTION 072110 – METAL BUILDING INSULATION (New). See attached document.

1.8 REVISIONS TO DRAWINGS

- A. Sheet S-003 Structural Quality Assurance Plan (Not Re-Issued). Under General, 3rd paragraph: Special Inspector will be hired by the Owner.
- B. Sheet S-101 Foundation Plans (Re-Issued). Delete this sheet in its entirety and replace it with the attached. Added foundation wall and footing to east side of building along with new sections (7/S-203, 8/s-203, 9/S-203 and 10/s-203) detailing wall and footing.
- C. Sheet S-203 Foundations Sections and Details (Re-Issued). Delete this sheet in its entirety and replace it with the attached. Added details 7/S-203, 8/s-203, 9/S-203 and 10/s-203.

- D. Sheet E-003 Panel Schedules (Re-Issued). Delete this sheet in its entirety and replace it with the attached. Added Owner requested outlets.
- E. Sheet E-201 Power Plan (Re-Issued). Delete this sheet in its entirety and replace it with the attached. Added Owner requested outlets.

1.9 ATTACHMENTS

- A. This Addendum includes the following attached Specifications:
 - 1. Section 004113 Bid Form dated 13 July 2023.
 - 2. Section 012100 Allowances dated 13 July 2023.
 - 3. Section 072110 Metal Building Insulation dated 13 July 2023.
- B. This Addendum includes the following attached Drawings:
 - 1. Sheet S-101 Foundation Plans dated 13 July 2023.
 - 2. Sheet S-203 Foundations Sections and Details.
 - 3. Sheet E-003 Panel Schedules dated 13 July 2023.
 - 4. Sheet E-201 Power Plan dated 13 July 2023.

END OF ADDENDUM FOUR

BID INFORMATION

1.1

Addendum Four Picayune Multipurpose and Band Hall Renovation Picayune, Mississippi

DOCUMENT 004113 - BID FORM - STIPULATED SUM (SINGLE-PRIME CONTRACT)

A.	Bidder:										
B.	Project Name: 22062 Picayune Multipurpose and Band Hall Renovation.										
C.	Project Location: 800 Fifth Ave, Picayune, MS 39466.										
D.	Owner: Picayune School District, 706 Goodyear Blvd., Picayune, Mississippi 39466.										
	1. Owner's Representative: Dean Shaw, Superintendent.										
E.	Architect: Dale Bailey Architects, An Association, One Jackson Place, Suite 250, 188 Eas Capitol Street, Jackson, MS 39201.										
F.	Architect Project Number: 22062.										
1.2 A.	CERTIFICATIONS AND BASE BID Base Bid, Single-Prime (All Trades) Contract: The undersigned Bidder, having carefully examined the Procurement and Contracting Requirements, Conditions of the Contract, Drawings, Specifications, and all subsequent Addenda, as prepared by Dale Bailey, An Association, and Architect's consultants, having visited the site, and being familiar with all conditions and requirements of the Work, hereby agrees to furnish all material, labor, equipment and services, including all scheduled allowances, necessary to complete the construction of the above-named project, according to the requirements of the Procurement and Contracting Documents, for the stipulated sum of:										
	1 Dollars										
	(\$).										
1.3	ALLOWANCES. Include the allowances below in the base bid. Refer to section 012100-ALLOWANCES.										
A.	Allowance No. 01: Lump Sum Contingency Allowance of Two Hundred Thousand Dollars (\$200,000.00).										

- 1.4 UNIT RATES. Refer to Section 012200 Unit Prices for description of unit Prices.
 - A. Unit Price 01: Cost to pour concrete slab per cubic foot.

(\$36,800.00).

(\$1,000.00).

B.

C.

Allowance No. 02: Lump Sum Hardware Allowance of Thirty-Six Thousand Eight Hundred Dollars

Allowance No. 03: Lump Sum Contingency Allowance for Permitting of One Thousand Dollars

	\$	/ Cubic Foot.
В.	Unit Price	02: Cost to pour sidewalk per cubic foot.
	\$	/ Cubic Foot.
C.	Unit Price gate per li	03: Cost to install 6-foot, 9-gauge fencing, with black vinyl coating with double access near foot.
	\$	/ Linear Foot.
D.	Unit Price foot.	04: Cost to replace existing damaged vinyl faced insulation in new band hall per square
	\$	/ Square Foot.
1.5	BID GUAF	RANTEE
A.	furnish su after recei check, ce	rsigned Bidder agrees to execute a contract for this Work in the above amount and to rety as specified within 10 days after a written Notice of Award, if offered within 90 days opt of bids, and on failure to do so agrees to forfeit to Owner the attached cash, cashier's rtified check, U.S. money order, or bid bond, as liquidated damages for such failure, in ing amount constituting five percent (5%) of the Base Bid amount above:
	1	Dollars
	(\$_).
B.		nt Owner does not offer Notice of Award within the time limits stated above, Owner will the undersigned the cash, cashier's check, certified check, U.S. money order, or bid
1.6	SUBCON	TRACTORS AND SUPPLIERS
A.	The follow	ving companies shall execute subcontracts for the portions of the Work indicated:
	PLUMBING	G CONTRACTOR - Indicate: □Non-DBE Firm, □MBE Firm or □WBE Firm
	Name:	License Number:
	HVAC CON	ITRACTOR - Indicate: □Non-DBE Firm, □MBE Firm or □WBE Firm
	Name:	License Number:
	ELECTRIC	AL CONTRACTOR - Indicate: □Non-DBE Firm, □MBE Firm or □WBE Firm
	Name:	License Number:

	(OTHER CONTRACTOR) - Indicate: □Non-DBE Firm, □MBE Firm or □WBE Firm
	Name: License Number:
	(OTHER CONTRACTOR) - Indicate: □Non-DBE Firm, □MBE Firm or □WBE Firm
	Name:License Number:
1.7	TIME OF COMPLETION
A.	The undersigned Bidder proposes and agrees hereby to commence the Work of the Contract Documents on a date specified in a written Notice to Proceed to be issued by Architect and shall fully complete the Work by Substantial Completion Date June 30, 2024.
1.8	ACKNOWLEDGMENT OF ADDENDA
A.	The undersigned Bidder acknowledges receipt of and use of the following Addenda in the preparation of this Bid:
	1. Addendum No. 1, dated
	2. Addendum No. 2, dated
	3. Addendum No. 3, dated
	4. Addendum No. 4, dated
1.9	BID SUPPLEMENTS
A.	The following supplements are a part of this Bid Form and are attached hereto.
	 Bid Form Supplement - Bid Bond Form (AIA Document A310-2010). Form of Non-Collusion Affidavit. (Specification 004105). Mandatory. Debarment Verification Form. (Specification 000820 Federal Requirements).
1.10	CONTRACTOR'S LICENSE
A.	The undersigned further states that it is a duly licensed contractor, for the type of work proposed, in Mississippi, and that all fees, permits, etc., pursuant to submitting this proposal have been paid in full.
1.11	SUBMISSION OF BID
A.	Respectfully submitted this day of, 2023.
100%	6 Construction Documents BID FORM - STIPULATED SUM 004113 Page 3 of 4

B.	Submitted By:	(Name of bidding firm or corporation).
C.	Authorized Signature:	(Handwritten signature).
D.	Signed By:	(Type or print name).
E.	Title:	(Owner/Partner/President/Vice President).
F.	Witnessed By:	(Handwritten signature)
G.	Attest:	(Handwritten signature).
Н.	Ву:	(Type or print name).
I.	Title:	(Corporate Secretary or Assistant Secretary).
J.	Email:	
K.	Street Address:	·
L.	City, State, Zip:	.
M.	Phone:	
N.	License No.:	-
Ο.	Federal ID No.:	(Affix Corporate Seal Here).

END OF DOCUMENT 004113

SECTION 012100 - ALLOWANCES

PART 1 - GENERAL

1.1 SUMMARY

- A. Section includes administrative and procedural requirements governing allowances.
- B. Types of allowances include the following:
 - Lump-sum allowances.
 - 2. Contingency allowances.
- C. Related Requirements:
 - 1. Section 0140000 "Quality Requirements" for procedures governing the use of allowances for testing and inspection.
- D. The contingency allowance or any allowance shall have all overhead and profit added at bid time to the bid price, such that any expenditure of allowances cannot add any overhead and profit to them.

1.2 SELECTION AND PURCHASE

- A. At the earliest practical date after award of the Contract, advise Architect of the date when final selection, or purchase and delivery, of each product or system described by an allowance must be completed by the Owner to avoid delaying the Work.
- B. At Architect's request, obtain proposals for each allowance for use in making final selections. Include recommendations that are relevant to performing the Work.
- C. Purchase products and systems selected by Architect from the designated supplier.

1.3 ACTION SUBMITTALS

A. Submit proposals for purchase of products or systems included in allowances in the form specified for Change Orders.

1.4 INFORMATIONAL SUBMITTALS

- A. Submit invoices or delivery slips to show actual quantities of materials delivered to the site for use in fulfillment of each allowance.
- B. Submit time sheets and other documentation to show labor time and cost for installation of allowance items that include installation as part of the allowance.

C. Coordinate and process submittals for allowance items in same manner as for other portions of the Work.

1.5 LUMP-SUM ALLOWANCES

- A. Allowance shall include cost to Contractor of specific products and materials ordered by Owner or selected by Architect under allowance and shall include taxes, freight, and delivery to Project site.
- B. Unless otherwise indicated, Contractor's costs for receiving and handling at Project site, labor, installation, overhead and profit, and similar costs related to products and materials ordered by Owner or selected by Architect under allowance shall be included as part of the Contract Sum and not part of the allowance.

1.6 CONTINGENCY ALLOWANCES

- A. Use the contingency allowance only as directed by Architect for Owner's purposes and only by Change Orders that indicate amounts to be charged to the allowance.
- B. Contractor's overhead, profit, and related costs for products and equipment ordered by Owner are not included in the allowance and should be included in the contract sum and will not be charged as an addition to the contract sum. These costs include delivery, installation, taxes, insurance, equipment rental, and similar costs.
- C. Change Orders authorizing use of funds from the contingency allowance will include Contractor's related costs and reasonable overhead and profit.
- D. At Project closeout, credit unused amounts remaining in the contingency allowance to Owner by Change Order.

1.7 ADJUSTMENT OF ALLOWANCES

- A. Allowance Adjustment: To adjust allowance amounts, prepare a Change Order proposal based on the difference between purchase amount and the allowance, multiplied by final measurement of work-in-place where applicable. If applicable, include reasonable allowances for cutting losses, tolerances, mixing wastes, normal product imperfections, and similar margins.
 - 1. Include installation costs in purchase amount only where indicated as part of the allowance.
 - 2. If requested, prepare explanation and documentation to substantiate distribution of overhead costs and other markups.
 - 3. Submit substantiation of a change in scope of Work, if any, claimed in Change Orders related to unit-cost allowances.
 - 4. Owner reserves the right to establish the quantity of work-in-place by independent quantity survey, measure, or count.
- B. Submit claims for increased costs because of a change in scope or nature of the allowance described in the Contract Documents, whether for the purchase order amount or Contractor's handling, labor, installation, overhead, and profit.

- 1. Do not include Contractor's or subcontractor's indirect expense in the Change Order cost amount unless it is clearly shown that the nature or extent of Work has changed from what could have been foreseen from information in the Contract Documents.
- 2. No change to Contractor's indirect expense is permitted for selection of higher- or lower-priced materials or systems of the same scope and nature as originally indicated.

PART 2 - PRODUCTS (Not Used)

PART 3 - EXECUTION

3.1 EXAMINATION

A. Examine products covered by an allowance promptly on delivery for damage or defects. Return damaged or defective products to manufacturer for replacement.

3.2 PREPARATION

A. Coordinate materials and their installation for each allowance with related materials and installations to ensure that each allowance item is completely integrated and interfaced with related work.

3.3 SCHEDULE OF ALLOWANCES

- A. Allowance No. 01: Include the Sum of Two Hundred Thousand Dollars (\$200,000.00) total for Construction Contingency Allowance.
- B. Allowance No. 02: Include the sum of Thirty-Six Thousand Eight Hundred Dollars (\$36,800.00) total for Hardware Allowance.
 - 1. This amount is to cover the materials for doors and hardware throughout the project. Cost of installation of the doors and hardware is to be included in the base bid.
- C. Allowance No. 03: Include the Sum of One Thousand Dollars (\$1,000.00) total for Permitting Allowance.

END OF SECTION 012100

SECTION 072110 - METAL BUILDING NSULATION

PART 1 - GENERAL

1.1 GENERAL REQUIREMENTS:

A. The General Provisions of the Contract including General and Supplementary Conditions and General Requirements (if any) apply to the work specified in this section.

1.2 WORK INCLUDED:

A. Work of this section includes all labor, materials, equipment and services necessary to complete the installation of the metal building insulation as shown on the drawings and specified herein.

1.3 RELATED WORK:

- B. Vinyl-reinforced film covered roof and wall Insulation applied to steel girts and purlins:
 - 1. Polypropylene / Scrim / Core / Metalized Polyester.

1.4 SUBMITTALS:

- A. Submit manufacturer's product and technical data and shop drawings for each type of insulation material, technical data and method of fastening.
- B. Samples: Submit the following:
 - 1. Submit each type of insulation 6"x 6".
 - 2. Adhesives and fasteners each type with manufacturers printed instructions.

1.5 PRODUCT HANDLING:

A. Use all means necessary to protect the materials of this section before, during and after installation and to protect the installed work and materials of all other trades. In the event of damage, immediately make all repairs and replacements necessary.

PART 2 – PRODUCTS (BASIS OF DESIGN)

2.1 INSUALTION:

- A. EcoTouch Certified R Metal Building Insulation: As produced by Owen's Coring Insulating Systems, LLC One Owens Corning Parkway Toledo, OH 43659
 - To be used as part of the insulating systems in the roof and walls of the metal buildings.
 - 2. Designed to be laminated with a variety of facings.
 - 3. Product: Provide EcoTouch Certified R Metal Building Insulation in the thicknesses and post laminate equivalent R-Values indicated below:
 - a. Roof Systems:
 - 1) R-19 Faced Insulation (In purlin cavity)
 - 2) R-11 Un-Faced Insulation (Over top of purlins)
 - b. Wall Systems (where applicable): R-13 + R-6.5 ci

2.2 LAMINATE FACINGS:

- A. WMP-30 as manufactured by LAMTEC Corporation, 5010 River Road Mount Bethel, PA 18343.
- B. Provide the required WMP-30 insulation facings (where required) in the color as indicated below:
 - 1. Multipurpose Building Roof: White
 - 2. Multipurpose Building Walls: White
- C. Notice: Substitution for the specified product will only be considered, prior to the bid date. Requests for substitution of specified products received after the bid date will not be considered and the Contractor will be required to install the specified products.

2.3 ACCESSORIES:

- A. Adhesives for Insulation: Adhesives or cements for installing insulation shall be water-resistant types as recommended by the insulation manufacturer for each of the various uses and locations. Use fire-resistive adhesives.
- B. Fasteners for Insulation: Fasteners, anchors, spindles and other metal devices required for installing insulation shall be galvanized steel, and as recommended by the insulation manufacturer for each of the various uses and locations.
- C. Insul Basket; Insulation Support Grid

PART 3 - EXECUTION


3.1 INSPECTION:

A. Examine the areas and conditions where building insulation is to be installed and notify the Architect of conditions detrimental to the proper and timely completion of the work. Do not proceed with the work until unsatisfactory conditions have been corrected by the Contractor in a manner acceptable to the Architect.

3.2 INSTALLATION:

- A. Comply with manufacturer's instructions for the particular condition of installation in each case. If printed instructions are not available, or do not apply to the project conditions, consult the manufacturer's technical representative for specific recommendations before proceeding with the work.
- B. Install over the entire area(s) that are indicated or specified to be insulated with metal building insulation.
- C. Install blanket fiberglass insulation with edges closely butted. Cut and fit insulation to closely fit intersecting or penetrating surfaces.
- D. Set vapor barrier faced units with vapor barrier to inside of construction, except as otherwise shown. Do not obstruct ventilation spaces. All joints at vapor barriers shall be sealed with 4" wide, foil faced duct tape to prevent vapor and air migration.
- E. Tape joints and ruptures in vapor barriers, using tape specified above, and seal each continuous area of insulation to surrounding construction so as to ensure vapor tight installation of the units.
- F. Adhesive Application per manufacturer's printed directions.
- G. Fastener Installation per manufacturer's printed directions.

END OF SECTION



Structural Design Group

Consulting Structural Engineers

220 Great Circle Road, Suite 106
Nashville, Tennessee 37228
p. 615.255.5537
www.sdg-structure.com

SDG Project No. 2023-042.00
© 2023

Engineers
oad, Suite 106
nessee 37228
515.255.5537
structure.com
023-042.00

Foundation Plans

100% CD's

14 June 2023 Rev Date

10 July 2023 13 July 2023

DALE

AN ASSOCIATION


Architects


One Jackson Place 250 188 East Capitol Street Jackson, MS 39201 p 601.352.5411


201 Park Court Suite B Ridgeland, MS 39157 p 601.790.9432


161 Lameuse St. Suite 201 Biloxi, MS 39530 p 228.374.1409

dalebaileyplans.com














100% CD's 22062

AN ASSOCIATION

Architects

One Jackson Place 250

188 East Capitol Street

Jackson, MS 39201

p 601.352.5411

201 Park Court Suite B

Ridgeland, MS 39157

p 601.790.9432

161 Lameuse St. Suite 201

Biloxi, MS 39530 p 228.374.1409

dalebaileyplans.com

Nd OC

and Bar High S

Ξ N

14 June 2023 **Rev Date** 10 July 2023 13 July 2023

Structural Design Group

Consulting Structural Engineers 220 Great Circle Road, Suite 106 Nashville, Tennessee 37228 *p*. 615.255.5537 www.sdg-structure.com SDG Project No. 2023-042.00 © 2023

Foundation Sections and

THE POWER SOURCE PLLC
305 HIGHWAY 51 RIDGELAND, MS 39157 VOICE (601) 605-4820 FAX (601) 605-4875 TPS PROJ. # 23072

PA	NEL	LOCATION:	EXTERIOR	LUG LOCATION:	BOTTOM FEED						
N/I	DP	VOLT:	240Δ/120V, 3Ø, 4W	MAIN BUS:	800A MAIN BREA	AKER	NEMA 3R ENCLOS	URE			
IVI	DF	BUS:	800A	MOUNTING:	SURFACE		PANELBOARD A	IC RATING (A):	42,000)00	
CUIT	BRE	AKER	DESCRIPTION	F	PHASE LOAD (KV	(A)	DESCRIPTION	BRE	AKER	CIRCUIT	
О.	AMPS	POLES	DESCRIPTION	Α	В	С	DESCRIFTION	AMPS	POLES	NO.	
1	60	3	TWU-03	6.1 13.1			HPBC-01	125	3	2	
3	-	-	-		6.1 13.1		-	-		4	
5	-	-	-			6.1 13.1	-	-	114	6	
7	400	3	EXISTING PANEL 'NN1	33.2 3.5			HPCU-01	40	3	8	
9	-	-	-		33.2 3.5		-		-	10	
11	_	-	-			33.2 3.5	-	-	-	12	
13	60	3	SPARE	0.0 2.4			HPCU-02	35	3	14	
5	-	-	-		0.0 2.4		-	-	-	16	
17	=	-	-			0.0 2.4	=	-	E	18	
19	40	3	SPARE	0.0 0.0			SPD TYPE 2A	30	3	20	
21	-	-	-		0.0 0.0		-	-	i L	22	
23	-	-	-			0.0 0.0	-	-	1=	24	
TAL				58.3	58.3	58.3					

PAI		LOCATION:	STORAGE ROOM	LUG LOCATION		BOTTOM FEED						
EXISTIN	MC NINIT	VOLT: BUS:	240Δ/120V, 3Ø, 4W 400A	MAIN BUS: MOUNTING:		400A MAIN BREAI SURFACE	KER		PANELBOARD AIC RA	ATING (A):		
CIRCUIT NO.	BREA AMPS	AKER POLES	DESCRIPTION	A	Р	HASE LOAD (KVA B	•	C	DESCRIPTION	BRE AMPS	AKER POLES	CIRCUIT NO.
1	70	3	EXISTING LOAD	7.3 9	9.0				EXISTING LOAD	80	3	2
3	-	-	-			7.3 9.0			-	-	T ₄	4
5	-	-	-				7.3	9.0	-	-	-	6
7	90	3	SPARE	0.0	9.0				EXISTING LOAD	80	3	8
9	-	-	-			0.0 9.0			-	-	-	10
11	-	-	-				0.0	9.0	<u> </u>	-	-	12
13	60	3	SPARE	0.0 7	7.3				EXISTING LOAD	70	3	14
15	-	-	-			0.0 7.3			-	-	-	16
17	-	-	-				0.0	7.3	-	-	-	18
19	40	3	SPARE	0.0	0.0				SPARE	20	1	20
21	-	-	-			0.0 0.0			-			22
23	-	-	-				0.0	0.0	EXISTING PANEL 'NN2'	100	2	24
TOTAL				33.2		33.2	33	3.2				

PAI	NEL	LOCATION:	STORAGE ROOM	LUG LO	CATION:	BOTTO	/ FEED	2000	\wedge				
Р	Λ	VOLT:	208Y/120V, 3Ø, 4W	MAIN BU	JS:	400A M	IN BREA	KER	4				
P	А	BUS:	400A	MOUNTING: SURFACE				T \	PANELBOARD AIC RA	ATING (A):	42,000	4	
CIRCUIT	BRE	AKER	DESCRIPTION		F	PHASE L	OAD (KV	A)		DESCRIPTION	BRE	AKER	CIRCUIT
NO.	AMPS	POLES	DESCRIPTION	j	4		3		0	DESCRIPTION	AMPS	POLES	NO.
1	20	1	LTS STORAGE, TLT, ENTRY, ICE, OFFICE, TEAM ROOM	1.1	0.5					REC STORAGE, TLT	20	1	2
3	20	1	LTS WEIGHT ROOM			1.0	0.5			REC TDBB	20	1	4
5	20	1	LTS WEIGHT ROOM					1.0	0.5	REC TDBB	20	1	6
7	20	1	LTS COACH OFFICE, TLT, 9TH, JUNIOR VARSITY	0.9	0.5					REC OFFICE 105	20	1	8
9	20	1	LTS EXTERIOR			0.1	0.9			REC WEIGHTS, ENTRY	20	1	10
11	20	1	REC WIEGHTS 106					0.7	0.5	REC DRINKING FOUNTAIN	*20	1	12
13	20*	1	REC DRINKING FOUNTAIN	0.5	0.5					REC ICE 103	20	1	14
15	20	1	REC WEIGHTS, JAN/LAUNDRY, COACH OFFICE, TLT 108			1.3	0.2			REC ICE 103	20	1	16
17	20	1	REC VARSITY, TLT 114					0.9	0.2	REC ICE 103	20	1	18
19	20	1	REC 9TH, TLT 112, JUNIOR VARISTY	0.9	0.2					REC ICE 103	20	1	20
21	20	1	REC EXTERIOR			0.9	0.2			REC ICE 103	20	1	22
23	20	1	MV-1					0.3	0.7	REC TEAM 104	20	1	24
25	20	1	WH-01/CP-01	0.3	8.0					AC-01	100	3	26
27	30	2	DCU-01/DSS-01		,	1.9	8.0			-	-	_	28
29	-	1-1	-					1.9	8.0	-	-	-	30
31	15	2	DCU-02/DSS-02	1.0	3.4					AC-02	50	3	32
33	-	-	-		,	1.0	3.4			-	-	-	34
35	20	1	REC WHIRL POOL					0.5	3.4	-	-	_	36
37	20	1	REC WHIRL POOL	0.5	6.1					HRU-01	90	3	38
39	20	1	REC DRYER			1.2	6.1			-	-	-	40
41	*20	1	REC ICE MAKER					1.0	6.1	-	-	-	42
43	*20	1	REC ICE MAKER	1.0	0.5					REC WASHER	15	3	44
45	*20	1	REC ICE MAKER			1.0	0.5			-	_	_	46
47	20	1	REC ICE 115					0.5	0.5	-	-	-	48
49	20	1	REC ICE 115	0.5	0.0					SPARE	20	1	50
51	20	humbur	SPARE			0.0	0.0			SPARE	20	1	52
53	20	1	SPARE					0.0	0.0	SPARE	20	1	54
TOTAL				26	3.5	28	3.1	26	5.7	* GFCI BREAKER			

PA	NEL		STORAGE ROOM	LUG LOCAT									
DA C	SEC. 2	VOLT:	208Y/120V, 3Ø, 4W	MAIN:	ı	MAIN LU	GS ONL'	1					
PA - 3	5EC. 2	BUS:	400A	MOUNTING:		SURFAC	E			PANELBOARD AIC	rating (a):	42,000	
CIRCUIT	BRE	AKER	DESCRIPTION		PH	HASE LO	DAD (KVA	١)		DESCRIPTION	BRE	AKER	CIRCUIT
NO.	AMPS	POLES	DESCRIPTION	A		В	3	()	DESCRIPTION	AMPS	POLES	NO.
55	20	1	SPARE	0.0	0.0					SPARE	20	1	56
57	20	1	SPARE			0.0	0.0			SPARE	20	1	58
59	20	1	SPARE					0.0	0.0	SPARE	20	1	60
61	20	1	SPARE	0.0	0.0					SPARE	20	1	62
63	20	1	SPARE			0.0	0.0			SPARE	20	1	64
65	20	1	SPARE					0.0	0.0	SPARE	20	1	66
67	20	1	SPARE	0.0	0.0					SPARE	20	1	68
69	20	1	SPARE			0.0	0.0			SPARE	20	1	70
71	20	1	SPARE					0.0	0.0	SPARE	20	1	72
73	20	1	SPARE	0.0	0.0					SPARE	20	1	74
75	20	1	SPARE			0.0	0.0			SPARE	20	1	76
77	20	1	SPARE					0.0	0.0	SPARE	20	1	78
79	20	1	SPARE	0.0	0.0					SPARE	20	1	80
81	20	1	SPARE			0.0	0.0			SPARE	20	1	82
83	20	1	SPARE					0.0	0.0	SPARE	20	1	84
85	20	1	SPARE	0.0	0.0					SPARE	20	1	86
87	20	1	SPARE			0.0	0.0			SPARE	20	1	88
89	20	1	SPARE					0.0	0.0	SPARE	20	1	90
91	20	1	SPARE	0.0	0.0					SPARE	20	1	92
93	20	1	SPARE			0.0	0.0			SPARE	20	1	94
95	20	1	SPARE					0.0	0.0	SPARE	20	1	96
97	20	1	SPARE	0.0	0.0					SPARE	20	1	98
99	20	1	SPARE			0.0	0.0			SPARE	20	1	100
101	20	1	SPARE					0.0	0.0	SPARE	20	1	102
103	20	1	SPARE	0.0	0.0					SPARE	20	1	104
105	20	1	SPARE			0.0	0.0			SPARE	20	1	106
107	20	1	SPARE					0.0	0.0	SPARE	20	1	108
TOTAL				0.0		0.	.0	0.	.0	* GFCI BREAKER	_		

dalebaileyplans.com

AN ASSOCIATION

Architects

One Jackson Place 250 188 East Capitol Street Jackson, MS 39201 p 601.352.5411

201 Park Court Suite B Ridgeland, MS 39157 p 601.790.9432

161 Lameuse St. Suite 201 Biloxi, MS 39530 p 228.374.1409


Picayune High School Mulitpurpose and Band Hall **22062 Picayune Multipurpos** and Band Hall Renovation Picayune, MS

100% CD

100	0% CD
Project No	22062
Date	14 June 2023
Revisions	Rev Date
Addendu	Rev Date um #3 7/10/2023
Addendu	um #4 7/13/2023

E-003

Panel Schedules





305 HIGHWAY 51 RIDGELAND, MS 39157 VOICE (601) 605-4820 FAX (601) 605-4875 TPS Proj. # 23072

Architects One Jackson Place 250 188 East Capitol Street Jackson, MS 39201 p 601.352.5411

201 Park Court Suite B Ridgeland, MS 39157 p 601.790.9432

161 Lameuse St. Suite 201 Biloxi, MS 39530 p 228.374.1409





Project No 22062

Date 14 June 2023

Revisions Rev Date

Addendum #3 7/10/2023 Addendum #4 7/13/2023

E-201

Power Plan